



ZFW

AMENDMENT TRANSMITTAL LETTER				Docket No. 04002	
Application No. 10/791,741		Filing Date March 4, 2004		Examiner Yaritza Guadalupe	
				Art Unit 2859	
Applicant(s): LaVern Alecci					
Invention: PLUMB BOB SQUARE BRACKET					
TO THE COMMISSIONER FOR PATENTS					
Transmitted herewith is an amendment in the above-identified application.					
The fee has been calculated and is transmitted as shown below.					
CLAIMS AS AMENDED					
	Claims Remaining After Amendment	Highest Number Previously Paid	Number Extra Claims Present	Rate	
Total Claims	7	- 20 =		x	
Independent Claims	2	- 3 =		x	
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>					
Other fee (please specify):					
TOTAL ADDITIONAL FEE FOR THIS AMENDMENT:					
<input type="checkbox"/> Large Entity <input checked="" type="checkbox"/> Small Entity					
<input type="checkbox"/> No additional fee is required for this amendment.					
<input type="checkbox"/> Please charge Deposit Account No. _____ in the amount of \$ _____. A duplicate copy of this sheet is enclosed.					
<input type="checkbox"/> A check in the amount of \$ _____ to cover the filing fee is enclosed.					
<input checked="" type="checkbox"/> Payment by credit card. Form PTO-2038 is attached.					
<input checked="" type="checkbox"/> The Director is hereby authorized to charge and credit Deposit Account No. <u>04-0753</u> as described below.					
<input checked="" type="checkbox"/> Credit any overpayment.					
<input checked="" type="checkbox"/> Charge any additional filing or application processing fees required under 37 CFR 1.16 and 1.17.					
Amir H. Behnia Attorney Reg. No.: 50,215				Dated: <u>August 25, 2005</u>	



Docket: 04002

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

LaVern Alecci

Art Unit: 2859

Serial No.: 10/791,741

Examiner: Yaritza GUADALUPE

Filed: March 4, 2004

Last action: May 27, 2005

For: PLUMB BOB SQUARE BRACKET

AMENDMENT AFTER FINAL REJECTION AND
REQUEST FOR RECONSIDERATION

Mail Stop AF
Customer Service Window
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Sir:

In response to the Office action mailed May 27, 2005, please
amend the above-captioned patent application as follows: